

# TAPE MEASURE

Fabric by Dolores Smith of Timeworn Toolbox Designs

*"Log Cabin"*



Approx. 57" x 57"

## Fabric Requirements & Cutting Instructions

**Fabric A – Copper Toolbox**      8222-0157      1/3 yard

Cut two 2 1/2" x WOF strips. Sub-cut the strips into twenty 2 1/2" squares.  
Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 6 1/2" strips.

**Fabric B – Taupe Scale**      8312-0147      1/4 yard

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 2 1/2" strips.

**Fabric C – Gold Scale**      8312-0133      1/4 yard

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 3 1/2" strips.

**Fabric D – Gray Level**      8321-0144      1/2 yard

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 3 1/2" strips.  
Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 4 1/2" strips.  
Cut three 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 7 1/2" strips.

**Fabric E – Taupe/Cream Numbers**      8315-0144      1/4 yard

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 4 1/2" strips.

**Fabric F – Copper Yardstick**      8314-0157      1/3 yard

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 4 1/2" strips.  
Cut one 2 1/2" x WOF strip. Sub-cut the strip into twelve 2 1/2" squares.

**Fabric G – Cream Yardstick**      8314-0147      1/4 yard

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 5 1/2" strips.

**Fabric H – Gold Inches**      8317-0133      1/4 yard

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 5 1/2" strips.

**Fabric I – Taupe Tape**      8320-0147      1/4 yard

Cut four 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 6 1/2" strips.

**Fabric J – Gold Toolbox**      8222-0133      1/3 yard

Cut four 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 6 1/2" strips.  
Cut one 1 1/2" x WOF strip. Sub-cut the strip into twelve 1 1/2" x 3 1/2" strips.

**Fabric K – Taupe Carpenter Pencil**      8313-0147      1/4 yard

Cut four 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 7 1/2" strips.

**Fabric L – Gray Tape**      8320-0144      7/8 yard

Cut four 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 7 1/2" strips.  
Cut one 1 1/2" x WOF strip. Sub-cut the strip into twelve 1 1/2" x 3 1/2" strips.  
Cut six 2 1/2" x WOF strips for the binding.

continued

**Fabric M – Gray Scale**      **8312-0144**      **1/3 yard**

Cut five 1 1/2" x WOF strips. Sub-cut the strips into twenty 1 1/2" x 8 1/2" strips.

**Fabric N – Taupe Level**      **8321-0147**      **1/4 yard**

Cut one 1 1/2" x WOF strip. Sub-cut the strip into twelve 1 1/2" x 2 1/2" strips.

**Fabric O – Gold/Cream Lines**      **8316-0133**      **1/4 yard**

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 4 1/2" strips.

**Fabric P – Taupe/Cream Lines**      **8316-0144**      **1/4 yard**

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 5 1/2" strips.

**Fabric Q – Gold Carpenter Pencil** **8313-0133**      **1/4 yard**

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 5 1/2" strips.

**Fabric R – Taupe Toolbox**      **8222-0144**      **1/4 yard**

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 7 1/2" strips.

**Fabric S – Gold/Cream Numbers** **8315-0133**      **1/4 yard**

Cut two 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 6 1/2" strips.

**Fabric T – Copper/Taupe Inches** **8317-0157**      **1/4 yard**

Cut three 1 1/2" x WOF strips. Sub-cut the strips into twelve 1 1/2" x 8 1/2" strips.

**Fabric U – Taupe Measure**      **8318-0147**      **1 3/4 yards**

Cut three 8 1/2" x WOF strips. Sub-cut the strips into nine 8 1/2" squares.

Cut two 12 5/8" x WOF strips. Sub-cut the strips into four 12 5/8" squares. Cut each square across both diagonals to make sixteen side triangles.

Cut one 6 5/8" x WOF strip. Sub-cut the strip into two 6 5/8" squares. Cut each square across one diagonal to make four corner triangles.

**Backing – Taupe Yardstick**      **8314-0147**      **3 3/4 yards**

Cut two 65" x WOF strips. Sew together and trim to make one 65" x 65" back.

## Block Assembly

1. Sew one 1 1/2" x 2 1/2" Fabric B strip to the right side of one 2 1/2" Fabric A square. Sew one 1 1/2" x 3 1/2" Fabric C strip to the top of the sewn unit. Sew one 1 1/2" x 3 1/2" Fabric D strip to the left of the sewn unit. Sew one 1 1/2" x 4 1/2" Fabric E strip to the bottom of the sewn unit to make one Unit 1 block (Fig. 1). Repeat to make twenty Unit 1 blocks total.
2. Sew one 1 1/2" x 4 1/2" Fabric F strip to the right side of one Unit 1 block. Sew one 1 1/2" x 5 1/2" Fabric G strip to the top of the sewn unit. Sew one 1 1/2" x 5 1/2" Fabric H strip to the left of the sewn unit. Sew one 1 1/2" x 6 1/2" Fabric I strip to the bottom of the sewn unit to make one Unit 2 block (Fig. 2). Repeat to make twenty Unit 2 blocks total.




Fig. 1




Fig. 2

continued

- Sew one 1 1/2" x 6 1/2" Fabric J strip to the right side of one Unit 2 block. Sew one 1 1/2" x 7 1/2" Fabric K strip to the top of the sewn unit. Sew one 1 1/2" x 7 1/2" Fabric L strip to the left of the sewn unit. Sew one 1 1/2" x 8 1/2" Fabric M strip to the bottom of the sewn unit to make one Block One square (Fig. 3). Repeat to make twenty Block One squares total.
- Sew one 1 1/2" x 2 1/2" Fabric N strip to the right side of one 2 1/2" Fabric F square. Sew one 1 1/2" x 3 1/2" Fabric J strip to the top of the sewn unit. Sew one 1 1/2" x 3 1/2" Fabric L strip to the left of the sewn unit. Sew one 1 1/2" x 4 1/2" Fabric O strip to the bottom of the sewn unit to make one Unit 3 block (Fig. 4). Repeat to make twelve Unit 3 blocks total.
- Sew one 1 1/2" x 4 1/2" Fabric D strip to the right side of one Unit 3 block. Sew one 1 1/2" x 5 1/2" Fabric P strip to the top of the sewn unit. Sew one 1 1/2" x 5 1/2" Fabric Q strip to the left of the sewn unit. Sew one 1 1/2" x 6 1/2" Fabric A strip to the bottom of the sewn unit to make one Unit 4 block (Fig. 5). Repeat to make twelve Unit 4 blocks total.
- Sew one 1 1/2" x 6 1/2" Fabric S strip to the right side of one Unit 4 block. Sew one 1 1/2" x 7 1/2" Fabric R strip to the top of the sewn unit. Sew one 1 1/2" x 7 1/2" Fabric D strip to the left of the sewn unit. Sew one 1 1/2" x 8 1/2" Fabric T strip to the bottom of the sewn unit to make one Block Two square (Fig. 6). Repeat to make twelve Block Two squares total.




Fig. 3




Fig. 4




Fig. 5




Fig. 6

## Quilt Top Assembly

(Refer to the Quilt Layout while assembling the quilt top.)

- Refer to the quilt layout for placement to sew together twenty Block One squares, twelve Block Two squares, nine 8 1/2" Fabric U squares, sixteen Fabric U side triangles and four Fabric U corner triangles to make the quilt top.
- Layer and quilt as desired.
- Sew the six 2 1/2" x WOF Fabric L strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half, lengthwise with wrong sides together, and press.
- Bind as desired.

